
Introduction to volume rendering

Paul Bourke

2D drafting/drawing Points + lines + curves + primitives (circle, rectangle ...) Describes boundaries



2D drawings are constructed by various geometric primitives, but isn't suited to representing an image (except inefficiently as a very large number of coloured squares)

2D image Pixels Describes the interior of a rectangle, a texture



3D modelling Points + lines + faces + texture + primitives (sphere, box ...) Describes surfaces



Empty on the inside


3D models are constructed by various geometric primitives, but not suited to representing a volume (except inefficiently as a very large number of coloured cubes)

Volumeric, 3D image Voxels Describes interiors




Full on the inside

A digital image contains some quantity sampled on a regular grid on a 2D plane.



In each case the value in the pixel or voxel is mapped onto colour and opacity.

In a volumetric dataset there is some quantity sampled on a regular 3D grid. Each cell is called a VOXEL (VOlumetric piXEL)



- Very common form of data in the sciences. \bullet
- Traditionally one thinks about medical data, for example MRI. lacksquare
- Volumetric data also arises from many numerical simulations.
- In scanned volumetric datasets the quantity per voxel depends on the scanning technology. For example: MRI essentially gives water content, CT gives density.

Wide range of applications

Other scanning and 3D imaging technologies include CT (MicroCT) and CAT scans.


Quite common in physics (simulations) and engineering (finite element calculations).

For volumetric datasets derived from simulation there can be multiple variables per voxel.


Medical research (MRI)


Entomology

Geology (CT)












Rabbits liver, medical research











Astrophysics




Fluid flow in porous material, geology






Standing waves, nano-science


Volumetric visualisation is the process of exploring and revealing the structure/interior of a volumetric dataset. The general approach involves a mapping between voxel values and colour/opacity.





Same data but different mappings

3D scanners typically create multiple 2D sections (bottom left). Voxels are not always cubes, often the within slice resolution is higher than between slice resolution.




Slice data from the CT scanner




Volume visualisation

The details of the user interfaces vary but key is how to specify the mapping from voxel value to colour and opacity.



file -	l lelp					
_						
					b /Adi meto /a	alumetatajikewat haadidat 🔜 📕 Hercle Image to File (Huh Re
			Natate around X Axis			
			Rotate around Z Axis		da	L.
			700	Auen		0
			Brg	jection mode	Perspectly	e T
			P	Conder Slices	Baytrace	
					_	
		and the second		Rendering Max	de:	Front2Eack Composite
				FEO Sto		2x Rondertarget
				Progressive Re	efinement:	(volume rendering while moving uses 1/4 fbp size)
				Fixed low step	s when moving	g 🔝 (volume rendering while moving uses less steps)
				Enable Shading	9	
				Steps		[Auto
				left x dipping		0
				right a diggarig		
				betten y dipp	ng	0
				top y dipping		
				back z dipping		D
				front a dipping		
		11. 100				
			-17	anster function		
		NEW TO A				
		Webber Friday and				
				· · · · · ·		



éutran)

- Medical scanners (and others) generally create DICOM files. operator name, institution ... and so on.
- ightarrowformat, for example, jpg, tiff, png ...
- There are some single file containers for the whole volume.
- documented externally.

Data formats

These are one file per slice but also contains metadata, for example, scanner make/ model, date, scanner settings, size of the voxels in world units, subject identifiers,

Other sources of volumetric data just provide the slices in some more standard image

Typically they have a header giving at least the number of voxels on each axis, the size of the voxels in world units, and the size of the items per voxel (eg; byte, short, int ...)

• No good standards though, many people fall back to a single raw file and the above

Additional notes

- Voxels are rarely cubes except for volumetric data from physics or engineering simulations. Scanners typically create a higher density within each slice compared to the density between slices.
- Voxels are usually all the same size except for some physics and engineering simulations where it may be desirable to have a higher density of voxels in important regions.
- The most common voxel values are single bytes (256 states) or unsigned short integers. But can also be floating point and sometimes can be actual colour values (eg: sliced and photographed objects).
- Researchers have always, since the start of volumetric data visualisation, created volumes at a resolution that is hard to visualise interactively ... despite the advances in realtime computer graphics on the GPU.



Means "vision" or "insight" in Sanskrit

Developed at the Australian National University by Ajay Limaye

Demonstration

Dristhi